



## Product Catalogue



### United Surgical Industries

An ISO : 9001/13485/14001/18001 & CE Certified Company

#### Corporate Office:

445, F.I.E. Patparganj Industrial Area, Delhi-110092 (INDIA)  
Ph.: +91-11-22149600 / 94 / 95  
Fax: +91-11-43852679  
E-mail: info@unisurg.com  
Web.: www.unisurg.com

#### Works:

Pioneer Complex, 12/77-80, Site-IV, Sahibabad Industrial Area  
Distt. - Ghaziabad (U.P.) 201010



## Technology for life



## Hospital & O.T. Equipment



## COMPANY PROFILE



We are one of the fast growing and fast improving company in the field of manufacturing and exporting Hospital Furniture, O.T. and Medical Equipment. Ever since our established in 1980, we have mastered in manufacturing Hospital furniture and equipment as per customer requirements and as per requirement of the day.

Our products are supplied all over India to Government as well as Private Hospitals, Nursing Homes and Medical Colleges. We have been exporting our quality equipment to various countries. Our quality and service has made us a company of repute in the Hospital Equipment manufacturing industry. We are registered with NSIC and are holding ISO-9001 and CE certificate

We at United, are empowered with an efficient workforce of skilled staff, who are ready to offer their customers a broad range of products which is wider than that offered by many other companies in the same field. The strategic marketing activities and specialization in specific sectors, enables us to meet the requirements of our customers in different market.

We create products and also modify them according to our customers' requirement. Our Engineering Department develops new applications on customer's request. We at United satisfy a wide range of requirements as well as offer design and technical solutions at the required standard.

All this and more has made United an organization with optimum combination of quality and price!

### Infrastructure

Our office and manufacturing facilities are based at New Delhi. Equipped with the latest tools and machinery for manufacturing hospital steel furniture, O.T. and Medical equipment, we produce high quality ergonomically designed hospital furniture that lasts life long.

We have successfully combined the competence and capabilities to develop one of its kind hospital accessories. The product design fully uses principle of structural mechanics, it makes our products beautiful, comfortable and durable. "Quality is the life of our company", we strictly control the quality in the light of ISO9001 and CE International Quality Level

There are trained and experienced staffs in our company, among them middle and senior engineers and technicians are also there. The R&D wing is continuously involved in designing and developing better ways to serve hospital industry. We have the expertise to design according to your special needs. We also have the ability to overcome scientific problems and to develop new products continuously.

Being technically sound and boasting of a highly experienced and dedicated staff, all the work is done in-house and that adds to the effective utilization of all the resources. We adhere to on-time delivery schedules as per customers' requirements. We provide a full line of hospital equipment ranging from beds ward, operation tables to trolleys and wheel chairs.

## Contents Page No.

Hospital Beds	1 - 15
Patient O.P.D. Couch	16
Hospital Beds Accessories	17 - 18
Ward Equipment	19 - 21
Patient Transfer Trolleys	22 - 27
Delivery Beds	28 - 30
Examination Tables	31
Ward Equipment	32
Ward / OT Equipments	33 - 37
Invalid Wheel Chair & Walking Aids	38 - 40
Neonatal Equipment	41
Ward/Operation Theatre Equipment	42- 45
Waste Management System/Others	46

## Quality Policy

United Surgical Industries, is committed to enhance business by producing and providing quality products and services to achieve customer satisfaction through compliance to applicable requirements and continually improving process related to quality management system.

## Quality Objectives

Minimize Rejection & Rework Ensure on time deliveries.

Functional objectives inline with the quality policy and quality objectives are deployed at various functional level.



## USI - 3001H ICU BED ELECTRIC




### Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset, 01 Pcs. Nurse Control System (ACP)].
2. Four Pieces individual Side-rails, ABS Moulded.
3. Heavy ABS Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Central Locking Castors, Durable and quiet.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H MM.
12. Positions Obtained by Hand Remote:
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg
13. Positions obtained / Functions on Nurse Control System(ACP)
  - Hi-Low with Locking function for handset.
  - Backrest elevation with locking function for handset.
  - Kneerest elevation with locking function for handset.
  - Trendlenburg / Reverse Trendlenburg with locking function for handset.
  - Electric CPR for Zero Positioning of Bed.

### Optional

- 4 Section Mattress (USI - 5001C)
- Manual CPR for backrest



5" Central Locking Castors.



Nurse Control System(ACP)




Also available in wooden colour

## USI - 993H ICU BED ELECTRIC



### Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Four Pieces individual Side-rails, ABS Moulded.
3. Heavy ABS Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Central Locking Castors, Durable and quiet.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H MM.
12. Positions Obtained by Hand Remote
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg



5" Central Locking Castors.



5" Central Locking Castors.



Also available in Blue colour

### Optional


- 4 Section Mattress (USI - 5001C)

## USI - 993 ICU BED ELECTRIC



### Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Central Locking Castors, Durable and quiet.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H MM.
12. Positions Obtained by Hand Remote
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg



5" Central Locking Castors.



Also available in wooden colour

### Optional


4 Section Mattress (USI - 5001C)

## USI - 997H ICU BED ELECTRIC



### Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Four Pieces individual Side-rails, ABS Moulded.
3. Heavy ABS Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Castors, 2 with brakes.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H MM.
12. Positions Obtained by Hand Remote
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg



5" Castors, 2 with brakes



Also available in wooden colour

### Optional


4 Section Mattress (USI - 5001C)

## USI - 997 ICU BED ELECTRIC



### Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Castors, 2 with brakes.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H MM.
12. Positions Obtained by Hand Remote
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg



5" Castors, 2 with brakes



Also available in wooden colour

### Optional

4 Section Mattress (USI - 5001C)

## USI - 943H ICU BED MECHANICAL



### Description

1. Four Pieces individual Side-rails, ABS Moulded.
2. Heavy ABS Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
5. Bed Mounted on 5" Castors, 2 with brakes.
6. S.S. Telescopic I.V. Rod with 4 Location.
7. Holder for Urine Bag.
8. Finish: Pretreated & Epoxy Powder Coated.
9. Overall Approx. Size: 2090L x 910W x 625-820H MM.
10. Positions Obtained by Smooth Crank system with foldable handle
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg



5" Castors, 2 with brakes



Smooth Crank system with foldable handle



Also available in wooden colour

### Optional

4 Section Mattress (USI - 5001C)

## USI - 943 ICU BED MECHANICAL




### Description

- Four Pieces individual Side-rails, ABS Moulded.
- ABS Moulded Head and Foot Panel with locking and corner buffer.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 5" Castors, 2 with brakes.
- S.S. Telescopic I.V. Rod with 4 Location.
- Holder for Urine Bag.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 625-820H MM.
- Positions Obtained by Smooth Crank system with foldable handle
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg

### Optional

- 4 Section Mattress (USI - 5001C)



Also available in wooden colour

## USI - 1001 ICU BED MECHANICAL




### Description

- Two Pieces individual detachable Side-rails, Stainless steel.
- Stainless Steel Head and Foot Panel with Laminated board and corner buffer.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 5" Castors, 2 with brakes.
- S.S. Telescopic I.V. Rod with 4 Location.
- Holder for Urine Bag.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 625-820H MM.
- Positions Obtained by Smooth Crank system with foldable handle
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg

### Optional

- 4 Section Mattress (USI - 5001C)



ICU BED MECHANICAL



## USI - 963 ICU BED MECHANICAL



### Description

- Two Pieces individual detachable Side-rails, Stainless steel.
- ABS Moulded Head and Foot Panel with locking and corner buffer.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 5" Castors, 2 with brakes.
- S.S. Telescopic I.V. Rod with 4 Location.
- Holder for Urine Bag.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 625-820H MM.
- Positions Obtained by Smooth Crank system with foldable handle
  - Hi-Low
  - Backrest elevation
  - Kneerest elevation
  - Trendlenburg / Reverse Trendlenburg

### Optional

- 4 Section Mattress (USI - 5001C)



Also available in wooden colour



## USI - 984HE HOSPITAL FOWLER BED ELECTRIC




### Description

- Advance linear actuator system [02 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
- Four Pieces individual Side-rails, ABS Moulded.
- Heavy ABS Head and Foot Panel with locking and corner buffer.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of Oval perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2090L x 910W x 600H MM.
- Positions Obtained by Hand Remote
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V.Rod (USI - 5002)



Also available in wooden colour

## USI - 984E HOSPITAL FOWLER BED ELECTRIC




### Description

1. Advance linear actuator system [02 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 4" Castors, 2 with brakes.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 2090L x 910W x 600H MM.
9. Positions Obtained by Hand Remote
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V.Rod (USI - 5002)



Also available in wooden colour

## USI - 984ER HOSPITAL FOWLER BED ELECTRIC



### Description

1. Advance linear actuator system [02 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. Two Pieces individual detachable Side-rails, Stainless steel.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
6. Bed Mounted on 4" Castors, 2 with brakes.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 2090L x 910W x 600H MM.
9. Positions Obtained by Hand Remote
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V.Rod (USI - 5002)



Also available in wooden colour

## USI - 984H HOSPITAL FOWLER BED




### Description

1. Four Pieces individual Side-rails, ABS Moulded.
2. Heavy ABS Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
5. Bed Mounted on 4" Castors, 2 with brakes.
6. Four Location for I.V. Rod.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 2090L x 910W x 600H MM.
9. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V.Rod (USI - 5002)



Also available in wooden colour

## USI - 984 HOSPITAL FOWLER BED




### Description

1. Four Pieces individual Side-rails, ABS Moulded.
2. ABS Moulded Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
5. Bed Mounted on 4" Castors, 2 with brakes.
6. Four Location for I.V. Rod.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 2090L x 910W x 600H MM.
9. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V.Rod (USI - 5002)



Also available in wooden colour

## USI - 908 HOSPITAL FOWLER BED




### Description

1. Heavy ABS Head and Foot Panel with locking and corner buffer.
2. Framework Made-up of M.S. Tubes.
3. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
4. Bed Mounted on 4" Castors, 2 with brakes.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



Also available in Blue colour

## USI - 1002 HOSPITAL FOWLER BED




### Description

1. Tubular Head and Foot Bows of unequal height with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
4. Bed Mounted on 4" Castors, 2 with brakes.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



FOWLER BED

## USI - 1053 HOSPITAL FOWLER BED





### Description

1. Stainless Steel Head and Foot Panel with Laminated board and corner buffer.
2. Framework Made-up of M.S. Tubes.
3. 4 section top made-up of Oval perforated CRCA M.S. Sheet.
4. Bed Mounted on 4" Castors, 2 with brakes.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation
  - Kneerest elevation

### Optional

- 4 Section Mattress (USI - 5001C)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



Also available in wooden colour

## USI - 965E HOSPITAL SEMI-FOWLER BED ELECTRIC



### Description

1. Advance linear actuator system [01 Pcs Motor, 01 Pc Control box, 01 Pcs Handset]
2. ABS Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 2 section top made-up of Oval perforated CRCA M.S. Sheet.
5. Legs fitted with PVC Stumps.
6. Four Location for I.V. Rod
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 2090L x 910W x 600H MM
9. Positions Obtained by Hand Remote
  - Backrest elevation

### Optional

- 2 Section Mattress (USI - 5001B)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



## USI - 965H HOSPITAL SEMI-FOWLER BED




### Description


1. Heavy ABS Head and Foot Panel with locking and corner buffer.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation

### Optional

- 2 Section Mattress (USI - 5001B)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



Also available in wooden colour



Also available in wooden colour

## USI - 965 HOSPITAL SEMI-FOWLER BED



### Description

1. ABS Moulded Head and Foot Panel with locking and corner buffer.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation

### Optional

- 2 Section Mattress (USI - 5001B)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)

## USI - 1003 HOSPITAL SEMI-FOWLER BED




### Description

1. Stainless Steel Head and Foot Panel with Laminated board and corner buffer.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation

### Optional

- 2 Section Mattress (USI - 5001B)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)



## USI - 1051 HOSPITAL SEMI-FOWLER BED



### Description

1. Tubular Head and Foot Bows of unequal height with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM.
8. Positions Obtained by Smooth crank system with foldable handle
  - Backrest elevation

### Optional

- 2 Section Mattress (USI - 5001B)
- S.S. Telescopic I.V. Rod (USI - 5002)
- S.S. Collapsible Railing (USI - 5020)


## USI - 1012 HOSPITAL BED

### Description

1. Tubular Head and Foot Bows of unequal height with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. Top made-up of Oval perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2090L x 910W x 600H MM

### Optional

- Plain Mattress (USI - 5001A)
- S.S. Telescopic I.V.Rod (USI - 5002)
- S.S.Collapsible Railing (USI - 5020)




## USI - 1011 PEDIATRIC BED

### Description

1. Tubular Head and Foot Bows of unequal height with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. Top made-up of Oval perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Full length drop side rails on both sides.
7. Finish: Pretreated & Epoxy Powder Coated.
8. Overall Approx. Size: 1480L x 840W x 600H MM
9. Bed frame approx size: 1370L x 760W MM.

### Optional

- Plain Mattress (USI - 5001A)
- S.S. Telescopic I.V. Rod (USI - 5002)



## USI - 1064 PATIENT'S OPD COUCH



### Description

- Overall size: 180L x 60W x 46H cms.
- Framework Made-up of Rectangular / Square M.S. Tubes.
- 5cm foam padded fixed mattress covered with rexine
- Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.

## USI - 1010 PATIENT'S OPD COUCH/CHAIR

### Description

- Overall size: 190L x 62W x 58H cms.
- Framework Made-up of Rectangular M.S. Tubes.
- The fabric is pressed artificial leather
- Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.



### USI - 5001 MATTRESS FOR HOSPITAL BEDS


10cms thick, 32/40 density foam mattress covered with rexine closed with zip at one end.



A-Single Mattress for plain beds.



B-Two section mattress for Semi-Fowler beds.



C-Four section mattress for Fowler/I.C.U. Beds.

### USI - 5013 ANTI-DECUBITUS MATTRESS (LATTICE STYLE)




#### Features

This air mattress is specially made for short-term patients. It is simple in structure, easy in operation and is better in prevention and cure of bed sores.




### USI - 5005 BALKEN BEAM FRAME

Made from MS/SS vertical, longitudinal and transverse tubes with clamps and pulleys.



### USI - 5006 LIFTING POLE

MS/SS tubular pole fitted with hand grip. Easily fitted back side of the head bows.



### USI - 5008 X-RAY PERMEABLE BACK REST SECTION

X-Ray permeable back rest with S.S. X-Ray cassette holder on sliding mechanism



### USI - 5009 PATIENT CASE SHEET HOLDER

Made from Aluminium/ ABS sheet  
A) Single with chrome Plated clip  
B) Double (file type)

### USI - 5004 MOSQUITO NET POLES

Four vertical M.S. tubes of 19mm. Two longitudinal & two transverse tubes of 15.8mm. knocked down condition. Pre-treated and epoxy powder coated.



### USI - 5020 COLLAPSIBLE SIDE RAILINGS

Made of SS horizontal tubes fixed to aluminium alloy end brackets, easily detachable.



### USI - 5002 I.V. ROD FOR HOSPITAL BED



Telescopic type adjustable S.S.I.V. Rod, locked with knob.

### USI - 818 ABS TUCK AWAY RAILING



**USI - 1018**  
Patient's Medicine  
Cupboard (DX.)



**Description**

- Overall Size: 16"L x 16"W x 32"H
- CRCA sheet constructions Having one Box and one drawer
- Jointless S. S. Top with three Sides raise edges
- Finish : Pretreated and Epoxy Powder coated

**USI - 1019**  
Patient's Medicine  
Cupboard (STD.)



**Description**

- Overall Size: 405L x 405W x 810H mm.
- Jointless S. S. Top with three sides raise edges
- One Box with door made of M.S. sheet
- Four MS legs fitted with PVC stumps
- Finish : Pretreated and Epoxy Powder coated

**USI - 949**  
Patient's Medicine  
Cupboard (ABS.)



**Description**

- Overall Size: 450L x 450W x 760H mm.
- One drawer
- One towel rail
- Four 50mm castors

**USI - 948**  
Cardiac Table  
(Pneumatically adjustable)



**Description**

- Rectangular frame work mounted on 5 cms castors
- ABS top adjustable by Pneumatic gas spring
- Finish : Pre-treated and Epoxy Powder Coated

**USI - 1068**  
Cardiac Table  
(Gear handle adjustable)



**Description**

- Rectangular frame work mounted on 5 cms castors
- ABS top adjustable by gear handle
- Finish : Pre-treated and Epoxy Powder Coated

**USI - 1044**  
Wash Basin Stand (Double)



**Description**

- Five Legs base mounted on 5cms dia castors
- With Two approx. 35 cms S.S. Basin
- Vertical SS tube made of 25mm x 18G
- Basin holder SS tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin

**Optional**

- Also available in Epoxy Powder Coated frame

**USI - 1046**  
Wash Basin Stand (Single)



**Description**

- Five Legs base mounted on 5cms dia castors.
- With One approx. 35 cms S.S. Basin.
- Vertical SS tube made of 25mm x 18G.
- Basin holder SS tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin.

**Optional**

- Also available in Epoxy Powder Coated frame

**USI - 1021**  
Cardiac Table  
(By Knob adjustable)



**Description**

- Rectangular frame work mounted on 5 cms castors
- Membrane press wooden top adjustable by side knob
- Finish : Pre-treated and Epoxy Powder Coated

**USI - 1020**  
Cardiac Table (Fixed)



**Description**

- Overall Size : 42"L x 16"W x 39"H
- Tubular frame work mounted on 5 cms castors
- Fixed Membrane press wooden Laminated top
- Finish : Pre-treated and Epoxy Powder Coated

## USI - 1037 I.V. STAND

### Description

- Five Pronged base fitted with 5 cms castors
- 12mm S. S. adjustable I.V. Rod with double hook

### Available models

- (A) S.S. Pipe with plastic base
- (B) M.S. Pipe with plastic base
- (C) S.S. Pipe with S.S. base
- (D) M.S. Pipe with M.S. base



## USI - 1027 Bed Side Screen (4 Panels)



### Description

- Overall Size : 1680H x 2450L mm.
- M.S. Tubular frame work made of 19mm x 18G in Four section
- Legs made of 25mm x 18G mounted on 5 cms castors with hooks and spring along-with curtains
- Each span 610mm wide
- Finish : Pre-treated and Epoxy Powder Coated


## USI - 1028 Bed Side Screen (3 Panels)



### Description

- Overall Size : 1680H x 2450L mm.
- M.S. Tubular frame work made of 19mm x 18G in Three section
- Legs made of 25mm x 18G mounted on 5 cms castors with hooks and spring along-with curtains
- Each span 610mm wide
- Finish : Pre-treated and Epoxy Powder Coated

## USI - E3 Luxurious Stretcher




### Description

- Stretcher trolley with adjustable Back rest & adjustable height
- Back Rest adjustable by gas spring & Height adjustable by crank mechanism.
- Size: 1930L x 595W x 530/820H mm.
- Framework made of mild steel epoxy coated finish with ABS Plastic Top
- Two easy lifting guardrails (One on each side) made of PE engineering plastic, which are safe and reliable, and can be fixed upward and downward
- 125mm dia noiseless castors with simultaneous braking system
- Equipped with separate directional wheel (5th Wheel) for easy operation only by one person
- International quality structure and functionality to satisfy the needs of the best hospital and Operation theaters



## USI - E4 Luxurious Connecting Stretcher



### Description

- High quality aluminium material as the main structure, one time automatically pressed
- The Two single stretcher can be lift up/down easily, to let the two single stretcher come to the same level, steady slide
- Size: 3650L x 640W x 640/970H mm.
- It can be locked automatically when the bed slide to any single stretcher
- Two easy lifting guardrails (One on each side) made of PE engineering plastic, which are safe and reliable, and can be fixed upward and downward
- 125mm dia noiseless castors with simultaneous braking system
- Equipped with separate directional wheel (5th Wheel) for easy operation only by one person
- International quality structure and functionality to satisfy the needs of the best hospital and Operation theaters

### USI - 1069 EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)




#### Description

- Two section top
- Height adjusted by foot operated imported hydraulic pump from 660 mm to 910 mm.
- Gas spring assisted Trendelenburg/Reverse Trendelenburg positions
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray cassette, accessories tray, oxygen cylinder holder, SS telescopic IV rod and swing away SS side rails
- Finish : Pretreated and epoxy powder coated
- Four swivel castors, 5" dia, two with total lock
- X-ray translucent removable stretcher, backrest raised on ratchet
- Overall approx size: 210L x 65W x 65-95H cms.



### USI - 814 Patient Trolley (Hi-Low)



#### Description

- Two section top
- Height adjusted by Crank 68 cm to 90 cm.
- Complete with S.S. handles, S.S. telescopic IV rod and swing away S.S. side rails
- Finish : Stainless Steel
- Four swivel castors, 5" dia, two with total lock
- Overall approx size: 195L x 65W x 68-90H cms.

### USI - 1016 Stretcher on Trolley

#### Description

- Frame work made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes.
- Trolley mounted on 15 cms. dia castors, 2 with brakes.
- Removable stretchers top made of M.S. Sheet with with S.S. handle.
- Overall size 213L x 56W x 81H cms.
- Finish : Pre-treated and Epoxy Powder coated.

#### Optional

- Mattress
- Side railings M.S./S.S.



Also available in complete Stainless Steel



### USI - 962 Stretcher Trolley with Mattress



Also available in complete Stainless Steel

#### Description

- Overall Approx Size: 180L x 56W x 81H cms.
- Frame work made of Tubular M.S. Pipe with S.S. handle
- Swing Away type Safety Side Railing
- Adjustable L.V. Road , Utility Tray, Cylinder Cage Foam padded top
- Trolley mount on 15 cms Dia castors- Two with Brakes
- Finish: Pretreated & Epoxy Powder Coated

## USI - 1095B Folding Stretcher 2 Fold

### Description

- Aluminium folding lengthwise as well as width wise
- 2 Fold, provided with bag
- Unfolded size 221L x 53W x 15H cms.
- Folded size: 110L x 18W x 11H cms.
- Load Bearing capacity 159 Kgs.
- Gross wt. 6 Kg, Net wt. 5 Kg.



## USI - 1095C Folding Stretcher 4 Fold

### Description

- Aluminium folding lengthwise as well as width wise
- 4 Fold, provided with bag
- Unfolded size 210L x 53W x 12H cms.
- Folded size: 61L x 30W x 12H cms.
- Load Bearing capacity 159 Kgs.
- Gross wt. 7 Kg, Net wt. 6 Kg.




## USI - 987A Scoop Stretcher (Telescopic/Immobile)


A portable first aid stretcher, is commonly used for transporting bone fractured and seriously injured patients. A clutch zip design at the middle of the model, the stretcher can be divided into left and right parts. Both parts can be drawn out when you need to put the patient on the operating table or the hospital bed quickly without moving the patient. The stretcher length can be directly transferred into the ambulance. The stretcher can fold or be separated into two parts, easy to carry or transport.

### Technical Parameter

Product Size (L x W x H)	: 168 x 43 x 7cm (min)
	: 224 x 45 x 10cm (max)
Net weight	: 9 kg
Gross Weight	: 11 kg
The bearing pressure	: <159 kg
Dimension of the packing box	: 127 x 45 x 10cm



## USI - 987M Scoop Stretcher ( MRI Compatible) (Telescopic/Immobile)



### Technical Parameter

Product Size (L x W x H)	: 1620 x 445 x 70 mm (max)
	: 1200 x 445 x 70 mm (max)
Net weight	: 7 kg
Gross Weight	: 8 kg
The bearing pressure	: <159 kg

## USI - 1008 Ambulance Stretcher



### Description

- Light weight, strong structure, lovely design,
- good arts and crafts, easy antiseptis, small size, convenient to use
- Utilizes high precision mechanical transmission
- Can be used automatically folded through the left and right hand control handle.
- Made of high quality aluminium alloy tubes
- Dimensions: A – High Position: 1900 x 560 x 900mm  
B – Low position: 1900 x 560 x 280mm
- Load weight: upto 120 Kg.
- Product weight: 40 Kg.
- Diameter of the castors: 125 mm
- Applicable for various kind of hospitals, emergency centers, ambulances and battle fields



## USI - 985 Wheelchair Stretcher with varied positions

### Description

Automatic wheelchair type stretcher is mainly used to transport the sick, wooded outdoor. It's a necessary accessory on ambulances and could be folded as wheelchair in narrow stairs or elevators. This model is made of high quality aluminium alloy, with characteristics such as light weight, good appearance, reasonable configuration, convenience operation, antiseptis. Besides, it also can prevent rust and easy to clean. It has soft foam mattress on the surface and protecting block sidely. It's an easy operation stretcher.

### Technical parameter:

(Product size)(L x W x H)	: 190 x 59 x 85cm
(Net weight)	: 45 kg
(The bearing pressure)	: <159 kg
(Dimension of the packing box)	: 200 x 60 x 27cm
(Gross weight)	: 55 kg



## USI - 988 Spine Board

Spine Board is mainly used for immobilizing and safely transferring serious patients during rescuing. It's a first-aid transport equipments for medical departments. It also could be equipped on ambulances. Besides, it can go into X-ray directly and float on water. This model is made of high strength engineering plastics. It can be enduring used, and has the advantage of antiaging, weight loading and easy stocking specialities.

### Technical Index

Product Size	: 184L x 45W x 5H cm
Load Bearing	: <159 kg
Net Weight	: 9 kg
Gross weight	: 12 kg
Dimension of the packing box	: 187L x 48W x 8Hcm



## USI - 989 Head Immobilizer



Speed Blocks a simple, four step process for application, a unique, multi-axis blocks system to accommodate all head shapes an injury positions, and direct access to patient's ears for better communication and inspection. The low-cost blocks with disposable foam pads straps are so effective that inconvenience of taping the patient can be eliminated.

## USI - 910 Wheel Chair / Stair Chair



Wheelchair type stretcher, made of high quality aluminium alloy, it is mainly used in some areas with difficult traffic or entry such as narrow halls, gangways, cloister or stair with several turnings.

### Technical Parameter

Folded Size	: 93 x 51 x 16cm
Folded into wheelchair	: (Back height) 91 cm (W) 50 cm (Seat-height) 49 cm (W) 50 cm
Net weight	: 8 kg.
Dimension of the packing box	: 100 x 55 x 20cm
Gross weight	: 12 kg.



## USI - XH9 Cervical Collar

Soft foam is slightly contoured for a comfortable fit. Covered with 100% cotton stockinet and a Velcro closure. Loop contact closures for easier use. Available in low and medium and high density of foam. Adjustable size designed for using on a wide range of patients. The foam cervical collar is used for cervical injuries requiring non-rigid support and limited mobility.



## USI - 991 Patient transfer system Patient mover from bed to bed

The patient can slide easily in spite of the different height and weight. The nurses will feel more comfortable when moving the patient and it is very helpful to the nurses. While moving the patient, particularly the serious patient or the patient who needs special care, between stretchers, patient beds, trolleys, inspection beds, X-ray fluoroscopy tables and operation tables, EASY-MOVE is very to use.

### Technical

Size: 170 x 50 cms.  
Material: Nylon, Plywood, Water resistant  
maximum load for 15 cms gap will be 200 kgs.



## USI - E7 Labour Delivery Room Bed (Electric)



### Description

- Overall Size : 1880L x 660W x 600-800H mm.
- Tubular frame work mounted on 125mm dia control locking castors
- Three section top made of Bakelite Sheet covered with 3 section mattress
- Trendlenburg / Reverse Trendlenburg positions, height adjustment, Back section adjustment through electric actuator system
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray

## USI - H7 Labour Delivery Room Bed (Hydraulic)



### Description

- Overall Size : 1880L x 660W x 600 - 800H mm.
- Tubular frame work mounted on 125mm dia control locking castors
- Three section top made of Bakelite Sheet with 3 section mattress
- Trendlenburg / Reverse Trendlenburg positions adjustment through crank mechanism
- Height adjustment through imported hydraulic pump
- Back section adjustment through crank mechanism
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- 1 Detachable S.S. Tray





## USI - 1091 Obstetric Labour Table Telescopic (Adjustable Height)



### Description

- Approx. Dimensions: 72"L x 27"W x 24"- 32"H
- Tubular frame work mounted on swiveling castors
- Bakelite Sheet top in three sections with 3 section mattress
- Trendlenburg / Reverse Trendlenburg positions, adjustable by crank system from back end
- Hydraulically height adjustable by foot paddle from side
- Backrest section adjustable crank mechanism from back end
- Leg end section can slide under the main section
- Height adjustable a pair of knee crutches
- Pre treated & epoxy powder coated

Also available in S.S. frame.



## USI - 1090 Labour Table



### Description

- Overall Approx. Max. Size : 72" x 27" x 30".
- Frame work made of S.S. Tube.
- Legs fitted with PVC Stumps.
- 3 Section Top made of Bakelite Sheet.
- Back rest section adjustable crank mechanism from back end
- Leg end section can slide under the main section.
- The entire table top gives trendlenberg positions by crank system from back end
- Drop down S.S. safety side railing are provided on 3 sides of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient hand grips made of S.S. Tubes.
- Supplied with waste collecting S.S. Bowl on S.S. bracket and one S.S. I.V. Rod.

Also available in M.S. Frame work.



## USI - 1092 Obstetric Delivery Bed in 2 parts (2 section top)

### Description

- Approx. Dimensions: 72"L x 30"W x 30"H
- Tubular frame work made in two section
- Body section with legs mounted on PVC stumps
- Leg section on swivel castors with brakes
- Two section cushioned top
- Height adjustable a pair of knee crutches
- Pre treated & Epoxy powder coated



## USI 1093 Obstetric Delivery Table (3 Section)

### Description

- Approx. Dimension 2 72" L x 22" W x 30" H
- Rectangular & square tube frame work mounted on PVC stumps
- Three sections cushioned top
- Backrest, seat, leg section adjustable by hand lever
- Complete with SS bowls
- Height adjustable a pair of knee crutches
- Pre treated & Epoxy Powder Coated

## USI-1097 Delivery bed (Telescopic)

### Description

- Approx. Size : Body section -1000Lx 800W x 750H mm, Leg section - 900Lmm.
- Bed, Labour and Delivery made in 2 section, body section with legs mounted on rubber tips
- Leg section swivel castors with brakes
- Leg section can be completely recessed under the body section supports for legs holders with solid mechanism to fix leg holders at required height & width
- Filled mattress - pad and cover mattress pad in 2 section
- Supplied with 2 knee crutches adjustable in height & width Knockdown construction
- Epoxy powder coated finish



### USI - 1065 Examination Couch



#### Description

- Overall Approx. Size : 1830L x 500W x 820H mm.
- Body frame work made of 18G CRCA Sheet  
Backrest adjustable on gas spring
- 3 Drawers, 3 Cabinets, One 6P apparatus
- **OPTIONAL: S.S./M.S. Foot step.**



### USI - 1065A Gynae Examination Couch

#### Description

- Overall Approx. Size :  
1830L x 500W x 820H mm.
- U cut at the foot end with lithotomy rod
- **OPTIONAL: S.S./M.S. Foot step.**



### USI - 954 Examination Cum Gynae Table



#### Description

- Overall Approx. Size : 1830L x 600W x 760H mm.
- Frame work made of MS CRC tubes
- Two section cushioned top
- Complete with the pair of S.S. lithotomy rod made
- 12 mm S.S. Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish



### USI - 1094 Examination Table (2 section)



#### Description

- Approx. Dimensions: 72"L x 24"W x 32"H
- Frame work Rectangular & Square Steel tubes
- Adjustable Back Rest by hand lever
- 2 Section Cushioned top
- Legs fitted on PVC stands
- Pre-treated & Epoxy Powder Coated



### USI - 1055 Surgeon Chair

#### Description

- Overall Approx. Size : Cushioned seat and back
- Pneumatic height adjustable
- Height adjustable and swinging back rest
- Legs chrome plated base with foot ring
- Base fitted with 50 mm dia castors



### USI - S1 Blood Transfusion Chair (STD)

#### Description

- Open size : 70 x 77 x 108 cms.
- Frame work made of MS tubes
- The fabric is pressed PVC artificial leather
- Three angles adjustable with rotatable Arm
- One side basket and one IV Rod will be provided
- Finish : Epoxy Powder coated

### USI - S7 Blood Transfusion Chair (DLX)

#### Description

- Open size : 73 x 84 x 105 cms.
- Frame work made of MS tubes
- The fabric is pressed PVC artificial leather
- Three angles manually adjustable with rotatable Arm
- One side basket and one IV Rod will be provided
- Finish : Epoxy Powder coated

**Optional : The chair's angle adjustable by electrically**



## USI 938 Anesthesia Trolley (ABS)

### Description

ABS body, metal ball-bearing rail. A-Aluminium columns B-Plastic-steel columns. IV Pole, needle disposal holder (optional); Dust basket, utility container, file bag, multi bin container, sliding side shelf, stainless steel guard rail, concave top covered with transparent soft plastic glass, centralized lock, 2 small & 3 big drawer, inner with partitions can be well organized. Drawers repositioned easily. Luxurious noiseless casters.

Approximate Size : 850 X 520 x 950 mm



## USI 1057 Medicine Trolley with 4 Drawer

### Description

- Overall Approx. Size: 76L x 46W x 81Hcms.
- Frame work of MS tubes mounted on 10cms castors
- Two S.S. shelves with three side railing on top shelf
- Two drawer under the each shelf
- Epoxy Powder Coated Finish



## USI 939 Emergency Trolley (ABS)

### Description

ABS body, metal ball-bearing rail. A-Aluminium columns B-Plastic steel columns. IV Pole, needle disposal holder (optional); Dust basket, utility container, file bag, defibrillator shelf, power outlet & hooks, Oxygen tank holder (Optional), C.P.R. Board (Optional). Sliding side shelf, stainless steel guard rail, concave top covered transparent soft plastic glass. Centralized lock, 2 small & 3 big drawer, inner with partitions can be well organized. Drawers repositioned easily with partitions can be well organized. ABS basket & drawer frame can be repositioned easily. Luxurious wise casters, two with brakes.

Approximate Size : 850 X 520 x 950 mm

## USI-40D Case History Trolley

### Description

- Approx. Size : 680 x 400 x 850 mm.
- Made of ABS Material
- Double row, 40 layers with a drawer
- 3" Castor



## USI-40D Case History Trolley

### Description

- Approx. Size : 336 x 400 x 850 mm.
- Made of ABS Material
- Single row, 20 layers with a drawer
- 3" Castor

## USI 940 Medicine Trolley (Cassette Type)

### Description

- Designed to supply medication when nurse make around of visit to patient
- Two sides unit cassette and one side plate cassette
- Easy to discharge
- Installed multi-bin container at rear side to make easy and multi possible storing
- Multi structure can be possible used by kinds of accessories
- Ergonomics designed push-handle and efficient structure
- Total lock key system

Size : 780(L) X 490(D) X 920(H)



## USI - 805 Utility Trolley (Two shelves)

### Description

- M.S. Frame work
- S.S. Shelves
- One M.S. Drawer
- 10 cms castors



## USI - 971 X-Ray View Box

### Description

#### Sizes:

- For one film
- For two film
- For three film
- For four film

Also available in LED



← **USI - 956**  
**O.T. Mayo's Table**

**Description**

- Overall Approx. Tray Size : 560L x 400W mm.
- Adjustable height of tray Approx. 760 to 1270 mm through gear handle
- Frame work made of 50 x 30 x 1.22 mm rectangular M.S. tubes
- Tray made of 0.9 mm thick S.S. 304 Grade sheet
- Table mounted on 50 mm dia castors
- Finish : S.S. Frame with S.S. top

**USI-1022**  
**O.T. Mayo's Instrument Trolley with S.S. Tray**

**Description**

- Tray size S.S. : 56 L x 40 W cms.
- Rectangular CRC tubes mounted on 5 cms castors height adjustable by side Knob
- S.S. Frame with S.S. top



← **USI-1006**  
**OT Instrument Mayo's Trolley over the OT Table (Mechanically)**

**Description**

- Approx Tray S.S. Size: 91 L x 50Wcms
- Frame work of S.S. tubes mounted on 10cms castors
- Height adjustable by gear handle
- S.S. Frame with S.S. top.

**USI - 1025**  
**Dressing Trolley**

**Description**

- Approx. Size : 30"x18"x32"
- Frame work made of S.S. tubes
- Two S.S. Shelves over with S.S. railings on all four sides
- The trolley fitted S.S. bucket and S.S. bowl
- The trolley mounted on 100 mm dia castors
- S.S. Frame, S.S. shelves with S.S. Basin & Bucket



← **USI - 976**  
**Instrument Trolley (Two Shelves)**

**Description**

- Frame work made of 1"x 18G vertical M.S. Tubes
- Two 22G S.S. Shelves with three sides railing
- The trolley mounted on 100 mm dia castors
- Finish : S.S. Frame with S.S. Shelves
- A- 30"x18"x32"
- B- 36"x24"x32"



**USI -1029**  
**Foot Step (Single Step)**

**Description**

- Overall Approx. Size : 505 mm L x 305 mm W x 230 mm H
- Step made of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made of 1" x 18G CRCA Tube fitted with PVC Stumps
- Finish : Pre treated and Epoxy Powder Coated
- Also available in complete S.S.

**USI 1030**  
**Foot Step (Double Step)**

**Description**

- Overall Approx. Step Size : 505 mm L x 305 mm W
- First step height 230 mm and Second step size 450 mm.
- Step made of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made of 1"x18G CRC Tubes fitted with PVC Stumps
- Finish : Pre treated and Epoxy Powder Coated
- Also available in complete S.S.



**USI-1048**  
**soiled linen trolley with canvas bag**

**Description**

- Frame work of CRC tube mounted on 10 cms castors
- Superior quality canvas bag
- Pre-treated and Epoxy powder coated finish

**USI-1047**  
**Trolley for Oxygen Cylinder**

**Description**

- Frame work of CRC tube mounted on 10 cms/15cms castors
- Epoxy powder coated finish
- A- For D type cylinder
- B- For B type cylinder



**USI-1067**  
**soiled linen trolley with plastic bucket**

**Description**

- Push handle at one end
- Frame work of CRC tube on 10 cms castors
- Superior quality plastic bucket
- Pre-treated & Epoxy powder coated
- Also available in S.S. Frame
- Complete in S.S. Frame
- Also available in M.S. frame**



**USI-950**  
Lab Technician Stool

- Description**
- Height adjustable cushioned seat
  - 5 legs base on castors



**USI 1036**  
Patient's Revolving Stool (SS top)

- Description**
- Four leg base Tilted with PVC Stumps
  - Height adjustment by machine screw from 18" x 27"
  - Afoot rest ring support made of MS Tube
  - SS top supported with IVIS sheet top
  - Finish : Pre-treated and Epoxy Powder Coated
  - Also available in S.S. Frame work and S.S. Top



**USI 1075**  
Patient's Revolving Stool (cushioned top)

- Description**
- Four leg base fitted with PVC Stumps
  - Height adjustment by machine screw from 18"x27"
  - A foot rest ring support made of MS Tube
  - Cushioned top supported with MS Circle
  - Finish 2 Pre-treated and Epoxy Powder Coated
  - Also available in S.S. Frame work Cushioned top



**USI 1031**  
Patient's Stool

- Description**
- Approx. Size 12"x 12"x 20"H
  - Top made of CRCA Sheet double bent
  - Legs made of 25 mm x 18 G and Horizontal Support of 19 mm x 18 G CRCA Tube fitted with PVC Stumps
  - Finish : Pre treated and Epoxy Powder Coated



**USI 1014**  
Laproscopic Trolley

- Description**
- Overall Approx. Size : 800 mm L x 600 mm D x 1400 H
  - Four shelves and one drawers
  - Trolley having two handle
  - The trolley mounted on 125 mm dia castors -2 with brakes
  - Switch & Socket for medical equipment
  - Supplied with S.S. IV Rod and ms Oxygen Gas Cylinder Cage
  - Finish : Pre-treated and Epoxy Powder Coated



**USI 1070**  
Crash Cart

- Description**
- Overall Approx. Size : 960 x 500 W x 1545H mm
  - Frame work made of S.S. Tubes
  - Two light weight polystyrene boxes each with three drawers
  - Upper drawer with medicine container of different sizes
  - Provision to hold oxygen cylinder made of M.S.
  - Massage board for cardiac patient are provided
  - Six Number colour hand out small bins at eye level
  - Total three S.S. Shelves with railings to carry Medical Equipments
  - Provided with S.S. I.V. Rod, Corner Buffers
  - The Cart mounted on 125 mm dia castors 2 with brakes
  - Also available in M.S. Frame work and laminated shelves

**USI -1032**  
Kick Bowl/Bucket

- Description**
- Approx. S.S. Bowl of 350 mm dia/SS Bucket
  - Frame work made of MS tubes
  - Mounted on 50mm castors
  - Finish : Stainless Steel.
  - Also available in M.S. frame work and SS Basin/Bucket



**USI - 901**  
Invalid's wheel chair Folding  
(Detachable Armrest & Footrest)



**USI - 809**  
Invalid's wheel chair folding  
(Fixed Armrest and Footrest)



**USI - 907LABH**  
Aluminium (Detachable  
Armrest Footrest) with Hand Brake

MEASUREMENTS cm	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	CNTS 20' FCL	CNTS 40' FCL
MODEL NO.	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘	⌘		
USI-901	80(85)	28	41(46)	61	20	50	90	106	40	45	100	80X28X91	18	21	132	268
USII-809	80(85)	24	41(46)	59	20	50	87	106	40	45	100	93X24X88	18	21	144	300
USI-907LABH	66(61)	28	41(46)	40	16	45	90	100	40	46	100	72X28X72	13	16	192	390



**USI - 681**  
Invalid's Commode Wheelchair



**USI - 904B**  
Invalid's wheel chair folding  
(Detachable Armrest & Footrest)



**USI - 691**  
Invalid's wheel chair  
(Commode)



**USI - 1040**  
Invalid's wheel chair Non-folding

- Complete Stainless Steel Framework..  
Also available in Epoxy Powder Coated Frame



**USI - 609GC**  
Invalid's wheel chair  
detachable armrest &  
footrest, recline back  
rest & elevated legs

MEASUREMENTS cm MODEL NO.													CNTS 20' FCL	CNTS 40' FCL		
USI-609GC	63	35	44	59	20	52	120	127	43	78	90	97x35x94	23	25	90	80
USI-681	66	30	44	59	15	50	95	102	43	51	90	75x43x76	22.6	25.5	140	280
USI-604B	58(63)	25	41(46)	59	20	50	90	106	40	45	100	83x28x91	19	21	132	268
USI-691	48	-	45	12.5	12.5	52	94	080	44	42	100	54x53x53	17	19	160	320

**USI - 123**  
Invalid's Wheelchair (Electric)



**USI - 894**  
Invalid's Commode Stool



**USI - 894**  
Invalid's Walker



**Main Parameters (cms.)**

MODEL NO.									PCS CN	G.W. (kg)	MODEL NO.	length (cm)	width (cm)	HEIGHT (cm)	N.W. (cm)		PCS cm	G.W. (kg.)
USI-894	51	43	41-55	59	40	29	8	52X23X78	1	9	USI-915	56	80	74.5-92	2.8	58X18X81	2	7

MODEL NO.																					
USI-123	65	43	31	20	52	99	20	1-6	28AH	200Wh2	4cm.	12"	110	82x69x79	62	70	60	104			

**Invalid's Crutches**



**USI - 933** **USI - 935**  
Elbow Type

**Invalid's Sticks**



**USI - 920** **USI - 921**

MODEL NO.	HEIGHT (cm)	N.W. (cm)		PCS cm	G.W. (kg.)
USI-920	66-90.5	0.3	65x28x15	20	7
USI-921	72.5-95	0.9	79x34x43	10	10
USI-933	93-123	0.5	84x29x35	20	11
USI-935	96-116	0.8	105x33x28	20	17.5

## Neonatal Equipments



### USI-980

#### Phototherapy Unit with baby bassinet (Double Surface)

##### Description

- The Double Surface fluorescent Phototherapy units is a combination of the fluorescent (Free Standing model) and fluorescent (Under Surface) Phototherapy units
- The fluorescent with Phototherapy Lamp Sources placed both on the upper surface and under surface of the baby bed, help to treat patients requiring more surface area exposure to phototherapy treatment.
- Choice to use single light source, either Upper or
- Undersurface, when patient condition improves.



### USI-979



#### Phototherapy Unit (Single Surface)

##### Description

- The Single Surface CFL Phototherapy units is a combination of the CFL (Free Standing model)
- The CFL with Phototherapy Lamp Sources placed on the upper surface
- Height adjustable facility
- With timer system

### USI 1038

#### Baby Cradle

##### Description

- Overall Approx. Size: 36" x 15" x 39"
- Stand frame work made of 25 mm x 1.22 mm M.S. tubular pipe
- Legs fitted with PVC Stumps
- Wire mesh hanging cradle made of 19 mm x 1.22 mm CRC Tube and wire mesh on 5 mm thick
- Finish: Pre-treated and Epoxy Powder Coated



### USI-958

#### Baby bassinet

##### Description

- Preprex transparent Crib with mattress
- Trendlenburg / Rev. Trendlenburg Manual
- 5 cms castors. I. V. Rod
- Pretreated & Epoxy powder coated



### USI-1042

#### Baby bassinet (with Utility Box)

##### Description

- Preprex transparent Crib with mattress
- Trendlenburg / Rev. Trendlenburg by knob
- Laminated cupboard with plate form 5 cms castors. I. V. Rod
- Pretreated & Epoxy powder coated



### USI-2551

#### Vertical High Pressure Steam Sterilizer Autoclave

##### Description

High pressure water steam electrically heated vertical sterilizer used for sterilizing of surgical instruments, Dressing materials, Linen, Rubber, Plastic material, Injection liquids by means of steam under pressure of 15 to 20 PSI. (Adjustable) Triple chamber with inner chamber and steam jacket made of thick stainless steel jacket made of thick stainless steel jacket. All sterilizers are hydraulically tested upto 2.5 times of working pressure. Outer chamber made of stainless steel sheet reinforced with M.S. sheet. Lid is made of thick stainless steel plate single piece and closed by wing nuts arrangement. Jointless neoprene gasket does not allow any leakage. Fitted with double safety valve, Water level indicator, water inlet and drain valves. Supplied complete with cord and plug but without dressing bins, To work on 220 volts, Single Ph, 50 Hz, Ac supply.

##### Available in following sizes

	Dia	Depth	Element	Load	Total Load	Optimal Accessories
(A)	300	500	2Nos.	2Kw	4Kw	(1) Automatic low water level out-of-device
(B)	400	600	2Nos.	3Kw	6Kw	(2) Pressure control switch (3) Dressing bins



### USI -1073

#### Auto Clave (portable) single/double drum

##### Description

Seamless construction made of aluminium alloy with turning on lid highly polished. It comes with one stop cock (continues bleeding valve), safety valve and pressure gauge.

##### Size:

- (A) 12"x14"
- (B) 12"x22"



### USI- 2552

#### Aerosol Disinfectant

##### Description

United aerosol disinfectant compact model, Ideally suited for decontamination of operation theatres, Wards in Hospitals & Nursing Homes, Pharmaceutical Labs & Production units, Animal housed and Poultry sheds, Hatcheries & EGG Storages, Silk worm rearing houses in sericulture industries etc. Instantly converts liquids formalin into true aerosol particles.

A single unit can sterilize 250 cu. mtrs. about 9000 cu. ft. in just 30-60 minutes. Suitable to work on 220 V, Single Phase, 50 Hz, Ac Supply. Available in Aluminium and Stainless Steel body in following capacities.

- (A) 1.5 Litres
- (B) 5.0 Litres



**USI - 2501**  
Seamless Dressing Drum (S.S.)



**USI - 2508**  
Basin (S.S.)



**USI - 2502**  
Instrument Sterilizer Electric (S.S.)



**USI - 2505**  
Kidney tray (S.S.)



**USI - 2503**  
Instrument Tray (S.S.)

Cat. No.	Available Sizes
<b>USI-2501</b>	6"x4", 6"x6", 9"x5", 9"x9", 11"x5", 11"x9", 14"x9", 15"x12"
<b>USI-2502</b>	12"x6"x5.5", 14"x6"x5.5", 16"x6"x5.5", 16"x8"x7.5", 18"x8"x7.5", 20"x8"x7.5", 24"x8"x7.5", 24"x12"x7.5", 24"x12"x12"



**USI - 2504**  
Catheter Tray (S.S.)

<b>USI-2503</b>	8"x6", 9"x6", 10"x8", 11"x7", 12"x8", 12"x10", 15"x12", 18"x12"
<b>USI-2504</b>	8"x3", 16"x4"
<b>USI-2505</b>	6", 8", 10", 12"
<b>USI-2508</b>	6", 8", 10", 12", 14" 16"



**USI-1072**  
**Univac- 0.50H.P Suction Apparatus**  
**Description**

- Powder coated M.S chassis
- Noise level of suction apparatus from is 50 dB +/-03 dB
- Leakage current of suction units is less than 84  $\mu$ A
- Electrical requirement- 220 ~ 230V, 50Hz, 1Phase
- Ideal for MTP / medical / surgical procedures
- Rotary Vane Type Vacuum Pump with-740 +/--10mm Hg
- Free air displacement 40 ~ 60 ltrs / min
- Heavy duty HN-65 antistatic castors
- 320 Watt, 1440 RPM, 0.50 H.P. Electric Motor
- 100mm Vacuum Gauge
- Non collapsible Silicon tubing
- 2 x 2.0 Ltrs. Polycarbonate jars with over flow safety
- Bacterial filter fitted on top



**USI-1071**  
**Univac- 0.25H.P Suction Apparatus**  
**Description**

- Ward care Suction Unit
- Powder Coated MS chassis
- Noise level of suction apparatus is 50 dB  $\pm$  03 dB
- Electrical requirement - 220 ~ 230VAC, 50 Hz, 1 Phase
- Ideal for medical & surgical procedures
- Rotary Vane or Diaphragm Vacuum Pump with-710 +/--10mm Hg
- Free air displacement 25 ~ 30 Ltrs / min
- Heavy duty HN - 50 antistatic castors
- 180Watt, 1440 RPM, 0.25 H.P. Electric Motor
- 76mm Vacuum Gauge
- Non collapsible PVC tubing
- 2 x 1.5 Ltrs. Polycarbonate jars with overflow safety
- Bacterial filter fitted on top
- All parts coming into Contact with secretion are autoclave safe

**USI - Univac-II**  
**AC/DC/Foot operated Suction**



**Description**  
Weight: 5l-g with foot pump & 4.3 Kg without foot pump Capacity:-600mmHg +10mmHg vacuum Free air displacement: 15-18 ltrs/min. Power: operated on 220 VAC and 12 battery & manually Vacuum gauge: 5:80 cms (2.0 inch). 0-760 mm Hg Jar: Autoclaveable 600ml polycarbonate collection jar Overflow protection: float system provided in safety jar Filter: autoclaveable bacterial filter Pump type: oil free rocker piston pump & vertical foot pump Battery Backup: 90 minutes on full charge In built maintenance free battery Electronic filling level monitoring system with sensor Can be hung in ambulance or wall Provided with DC cable for ambulance/ car use No leakage current increase the life of battery

**USI - 9B**  
**Pedal Suction Apparatus**



**Description**  
Pedal suction apparatus mainly used in hospitals of all levels for suction of blood, phlegm and other thick liquid.



**USI - 812**  
**Hand held Suction**  
**250ml Capacity**

**USI-983**  
**Univac Mini suction Apparatus**



**Description**  
A compact and lightweight medical aspirators that has low vacuum & low flow performance. It has specially designed for use in intensive care, recovery room and pediatric wards where low flow/low vacuum is required. It has an oil-free Rocker Piston pump with permanently lubricated bearings, which ensures quiet operation and low maintenance. It incorporates a 1.5 Liters Polycarbonate collection vessel fitted with a float valve system, providing automatic shut-off to avoid overflow and a bacterial filter. its lightweight robust design makes it ideal for use by the emergency services.





**USI - 2510**  
Sputum Mug (S.S.)



**USI - 2507**  
Urinal Pot (S.S.)  
Male/female



**USI - 2509**  
Enema cane (S.S.)



**USI - 2511**  
Lotion Bowl (S.S.)



**USI - 1074**  
**Waste Receptacle**  
• Made of SS oute and inner bucket  
• 12 Ltr. capacity



**USI - 2506**  
Bed Pan (S.S.) male/female

**USI - 970**  
**Scrub Station**

**Description**

Scrub Station wall mounted Scrub Station, made of heavy duty Stainless Steel 304 grade designed for splash- free usage without touching the taps soap dispensers directly with the handle.

The Station are available in the following options:

Model	Size	User	Tap
USI-970	90Lx54Wx84H	One	Elbow/Foot/Sensor
US I-970A	120Lx54Wx84H	Two	Elbow/Foot/Sensor
US I-970B	195Lx54Wx84H	Three	Elbow/Foot/Sensor



**USI-1045**  
**Instrument Cabinet**  
• Made form CRC sheet three side closed  
• Front glass door and glass shelves  
• Pre-treated and Epoxy Powder Coated  
• Size-63" x 24" x a8"

**USI- 807**  
**Bio Medical Waste Bins**  
Available in 15 Ltr., 30 Ltr., 40Ltr.  
With stand and foot operated



**USI -808**  
**Bio Medical Waste Bins**  
Available in 100 Ltr. Capacity with stand without foot operated



**USI-HZ2**  
**Waiting Area Chair**  
• Perforated Sheet  
• Galvanized arm rest  
• Crome Plated finish  
**Also available in full Stainless Steel**





United Surgical Industries

Lined writing area consisting of 21 horizontal lines.



+91 9925063777 | +91 79 6540110  
sales.india@aussin.co  
www.aussin.co | www.ashbme.com